





CA Wet&Dry 2 Motors: practical and professional wet and dry vacuum cleaners

The professional wet and dry 2-motor vacuum cleaners of the CA Wet&Dry range have been designed to provide practicality and professional results.

They are vacuum cleaners equipped with high capacity tanks but designed to be practical and easy to use. Resistant and easy to handle, they are used for the cleaning of medium surfaces or for the collection of solid material of various sizes, as well as liquids.

The versatility and performance of these professional vacuum cleaners make them suitable for cleaning companies, demanding applications and also for rental in Ho.Re.Ca., wellness & Sports, and public sectors. Dual motor models are the ideal solution for the removal of dust and liquids suction in the transport, logistics and large-scale distribution sectors.

THE ADVANTAGES OF CA W/D 2 MOTORS

- Available with polyethylene, polypropylene or stainless steel tank.
- Fixed front accessory also available for easy liquid vacuum on wide areas.
- Possibility of choosing versions with fixed trolley or tilting trolley for more practical emptying.
- Some models can be equipped with optional quick drainage kit to facilitate emptying operations.
- CA 110.2 is equipped with drainage hose, accessory holder and dedicated opening for washing the tank.
- Fabric filter as standard.

- Foam filter as standard.
- Cartridge filter, washable cartridge filter, HEPA cartridge filter and nylon filter available as options.
- Wide range of accessories available, making the CA WET&DRY 2 Motors vacuum cleaner range extremely customizable.




Details that matter



Thanks to their ergonomic handle these vacuum cleaners are easily transportable over all floors.

Fixed trolley versions are even easier to maneuver, while those with a tilting trolley are more practical to empty.

Models equipped with a TIP & POUR tilting trolley, allow the tank to be completely overturned while remaining on its hinge, making it very easy to empty.







CA 110.2 is equipped with a standard drain hose, while for **CA P58.4 WDM, CA P58.4 WBD** and **CA A58.4 WDB** a quick drain kit is available as optional.







The optimal tilt angle between the handle and the rear wheels allows **CA 110.2** to rest completely on the ground to favor a better emptying of the tank.



KIT Ø 40 mm



Paper filter bag



Microfiber filter bag



Cloth filter



Cartridge filter



Washable Cartridge filter



HEPA cartridge filter



Sponge filter



Nylon filter



Front squeege



Drain kit

CA A58.4 WDB

CA110.2

Legend

standard ◊ optional

| TECHNICAL DESCRIPTION | | CA110.2 | CA P58.3 WD | CA P58.4 WDM | CA P58.4 WDB | CA A58.4 WDM |
|-----------------------|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Voltage-Frequency | V-fase-Hz | 220/240-1-50/60 * | 220/240-1-50/60 * | 220/240-1-50/60 * | 220/240-1-50/60 * | 220/240-1-50/60 * |
| Power | W-Hp | 2200 | 2000 | 2200 | 2200 | 2200 |
| Motor | n./type | 2/Bypass double stage |
| Water lift | mmH ₂ O | 2300 | 2100 | 2300 | 2300 | 2300 |
| Airflow | 1/s | 108 | 104 | 108 | 108 | 108 |
| Tank capacity | | 110 | 77 | 77 | 77 | 77 |
| Cable length | m | 7 | 7 | 7 | 7 | 7 |
| Noise level | dB | 72 | 72 | 72 | 70 | 72 |
| Dimensions (Lxhxw) | mm | 510x665x985 | 550x550x890 | 545x576x940 | 545×635×970 | 545×642×980 |
| Weight | Kg | 21 | 18.5 | 18.5 | 18.5 | 20 |

^{*}other voltages available on request



Health companies



Public





and sports









Large-Scale Retail Trade



Logistic



professional people